

Sample ID SD260706-551 (11046378607)		Matrix Edible	
Tested for Unlimited			
Sampled -		Reported July 14th, 2026	
Analyses executed KTM		Serving Size (g) 0.25	
Unit Mass (g) 1		Num. of Servings 20	

The expanded Uncertainty of the Kratom analysis is approximately $\pm 7.81\%$ at the 95% Confidence Level.

Analyte	LOD ppm	LOQ ppm	Result %	Result mg/g	Result mg/Serving	Result mg/Unit	Sample photography
7-hydroxy Mitragynine (7HMG)	0.008	0.025	ND	ND	ND	ND	
MGM-15 (MGM)	0.186	0.562	ND	ND	ND	ND	
Mitragynine (MITG)	0.018	0.054	ND	ND	ND	ND	
Speciogynine (SPEG)	0.007	0.02	ND	ND	ND	ND	
Speciociliatine (SPCL)	0.004	0.011	ND	ND	ND	ND	
Mitragynine Pseudoindoxyl (MITp)	0.279	0.837	31.21	312.14	204.67	516.91	



PJLA
Testing
Acc. #85368



Authorized Signature

Brandon Stark

Brandon Starr, Quality Assurance Manager
Tues, 14 July 2026 11:27:39 -0900




PharmWare
LABORATORY LIMS & ELN

[illegible]

Sample ID SD260706-551 (11046378608)		Matrix Edible	
Tested for Unlimited			
Sampled -	Received July 6th, 2026		Reported July 14th, 2026
Analyses executed KTM	Unit Mass (g) 1	Num. of Servings 20	Serving Size (g) 0.25

The expanded Uncertainty of the Kratom analysis is approximately $\pm 7.81\%$ at the 95% Confidence Level.

Analyte	LOD ppm	LOQ ppm	Result %	Result mg/g	Result mg/Serving	Result mg/Unit	Sample photography
7-hydroxy Mitragynine (7HMG)	0.008	0.025	ND	ND	ND	ND	
MGM-15 (MGM)	0.186	0.562	ND	ND	ND	ND	
Mitragynine (MITG)	0.018	0.054	ND	ND	ND	ND	
Speciogynine (SPEG)	0.007	0.02	ND	ND	ND	ND	
Speciociliatine (SPCL)	0.004	0.011	ND	ND	ND	ND	
Mitragynine Pseudoindoxyl (MITp)	0.279	0.837	31.21	312.14	204.67	516.91	



Authorized Signature

Brandon Stark

Brandon Starr, Quality Assurance Manager
Tues, 14 July 2026 11:27:39 -0900

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017Acc. 85368



LABORATORY LIMS & ELN

[illegible]

Sample ID - SD260706-551 (11046378609)		Matrix Edible	
Tested for Unlimited			
Sampled -		Reported July 14th, 2026	
Received July 6th, 2026			
Analyses executed KTM	Unit Mass (g) 1	Num. of Servings 20	Serving Size (g) 0.25

The expanded Uncertainty of the Kratom analysis is approximately $\pm 7.81\%$ at the 95% Confidence Level.

Analyte	LOD ppm	LOQ ppm	Result %	Result mg/g	Result mg/Serving	Result mg/Unit	Sample photography
7-hydroxy Mitragynine (7HMG)	0.008	0.025	ND	ND	ND	ND	
MGM-15 (MGM)	0.186	0.562	ND	ND	ND	ND	
Mitragynine (MITG)	0.018	0.054	ND	ND	ND	ND	
Speciogynine (SPEG)	0.007	0.02	ND	ND	ND	ND	
Specioclatinate (SPCL)	0.004	0.011	ND	ND	ND	ND	
Mitragynine Pseudoindoxyl (MITp)	0.279	0.837	31.21	312.14	204.67	516.91	



PJLA
Testing
Acc. #85368



Authorized Signature

Brandon Stark

Brandon Starr, Quality Assurance Manager
Tues, 14 July 2026 11:27:39 -0900



PharmWare
LABORATORY LIMS & ELN

[illegible]

Sample ID - SD260706-551 (11046378610)		Matrix Edible	
Tested for Unlimited			
Sampled -	Received July 6th, 2026	Reported July 14th, 2026	
Analyses executed KTM	Unit Mass (a) 1	Num. of Servinas 20	Serving Size (a) 0.25

Analyzed July 10th, 2026 | Instrument HPLC VWD | Method SOP-KTM

The expanded Uncertainty of the Kratom analysis is approximately $\pm 7.81\%$ at the 95% Confidence Level

Analyte	LOD ppm	LOQ ppm	Result %	Result mg/g	Result mg/Serving	Result mg/Unit	Sample photography
7-hydroxy Mitragynine (7HMG)	0.008	0.025	ND	ND	ND	ND	
MGM-15 (MGM)	0.186	0.562	ND	ND	ND	ND	
Mitragynine (MITG)	0.018	0.054	ND	ND	ND	ND	
Speciogynine (SPEG)	0.007	0.02	ND	ND	ND	ND	
Speciociliatine (SPCL)	0.004	0.011	ND	ND	ND	ND	
Mitragynine Pseudoindoxyl (MITp)	0.279	0.837	31.21	312.14	204.67	516.91	



PJLA
Testing
Acc. #85368



Authorized Signature _____

Brandon Stahl

Brandon Starr, Quality Assurance Manager
Tues. 14 July 2026 11:27:39 -0900

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017Acc. 85368

PharmWare
LABORATORY LIMS & ELN

Primer Labs San Diego | 3421 Hahncock St., Second Floor, San Diego, CA 92101 | 619.556.0898 | ISO/IEC 17025:2017ACC. 85358

Sample ID - SD260706-551 (11046378612)		Matrix	Edible
Tested for Unlimited			
Sampled -	Received July 6th, 2026		Reported July 14th, 2026
Analyses executed KTM	Unit Mass (g) 1	Num. of Servings 20	Serving Size (g) 0.25

The expanded Uncertainty of the Kratom analysis is approximately $\pm 7.81\%$ at the 95% Confidence Level.

Analyte	LOD ppm	LOQ ppm	Result %	Result mg/g	Result mg/Serving	Result mg/Unit	Sample photography
7-hydroxy Mitragynine (7HMG)	0.008	0.025	ND	ND	ND	ND	
MGM-15 (MGM)	0.186	0.562	ND	ND	ND	ND	
Mitragynine (MITG)	0.018	0.054	ND	ND	ND	ND	
Speciogynine (SPEG)	0.007	0.02	ND	ND	ND	ND	
Speciociliatine (SPCL)	0.004	0.011	ND	ND	ND	ND	
Mitragynine Pseudoindoxyl (MITp)	0.279	0.837	31.21	312.14	204.67	516.91	



Authorized Signature

Brandon Stark

Brandon Starr, Quality Assurance Manager
Tues, 14 July 2026 11:27:39 -0900




LABORATORY LIMS & ELN

[illegible]

Sample ID - SD260706-551 (11046378611)		Matrix	Edible
Tested for Unlimited			
Sampled -	Received July 6th, 2026		Reported July 14th, 2026
Analyses executed KTM	Unit Mass (g) 1	Num. of Servings 20	Serving Size (g) 0.25

The expanded Uncertainty of the Kratom analysis is approximately $\pm 7.81\%$ at the 95% Confidence Level.

Analyte	LOD ppm	LOQ ppm	Result %	Result mg/g	Result mg/Serving	Result mg/Unit	Sample photography
7-hydroxy Mitragynine (7HMG)	0.008	0.025	ND	ND	ND	ND	
MGM-15 (MGM)	0.186	0.562	ND	ND	ND	ND	
Mitragynine (MITG)	0.018	0.054	ND	ND	ND	ND	
Speciogynine (SPEG)	0.007	0.02	ND	ND	ND	ND	
Specioclatinate (SPCL)	0.004	0.011	ND	ND	ND	ND	
Mitragynine Pseudoindoxyl (MITp)	0.279	0.837	31.21	312.14	204.67	516.91	



PJLA
Testing
Acc. #85368



Authorized Signature

Brandon Stark

Brandon Starr, Quality Assurance Manager
Tues, 14 July 2026 11:27:39 -0900



LABORATORY LIMS & ELN

[illegible]